FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK
LOG BOOK

OF THE

U.S.S. ABILITY

M30-519
IDENTIFICATION NUMBER

COMMANDED BY

T. B. POTTER JR. LT., U.S.N.

Attached to MIN DIV 85 Division,
MIN RON 8 Squadron,
— Flotilla,
U.S. ATLANTIC Fleet,
SIXTH Naval District,

Commencing 0001R / 1 AUGUST (zone time and date), 19 64,

at CHARLESTON, SOUTH CAROLINA (location),

and ending 2400R 31 AUGUST (zone time and date), 19 64,

at CHARLESTON, SOUTH CAROLINA (location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ _____ (Day) (Date) (Month) , 19__

VOID

APPROVED: EXAMINED:

_____ U.S.N. COMMANDING _____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519 ZONE DESCRIPTION +5 DATE SATURDAY (Day) 1 AUGUST (Date) (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	0	8	SCT	3007	74	71	4	3000	Cu			
02	—	0	8	SCT	3009	74	72	3	3000	Cu			
03	—	0	8	SCT	3011	74	72	3	3000	Cu			
04	—	0	8	SCT	3014	73	71	4	2500	Sc			
05	040	3	8	SCT	3015	72	70	3	3000	Sc			
06	035	5	8	SCT	3016	70	68	2	2000	ST			
07	035	5	8	CLR	3016	71	69	0	CLEAR				
08	025	6	8	CLR	3017	79	76	0	CLEAR				
09	020	4	8	SCT	3017	80	77	3	4500	Cu			
10	035	5	8	SCT	3017	80	77	3	4500	Cu			
11	045	5	8	SCT	3016	85	80	4	4500	Cu			
12	045	6	8	SCT	3016	85	80	3	4500	Cu			
13	050	3	10	SCT	3016	85	80	3	5000	Cu			
14	095	3	10	SCT	3016	84	78	4	5000	Cu			
15	120	4	10	SCT	3014	83	76	3	5000	Cu			
16	125	6	10	SCT	3014	83	75	4	5000	Cu			
17	095	7	10	SCT	3015	83	75	3	5000	Cu			
18	115	6	10	SCT	3014	82	75	3	5000	Cu			
19	120	5	10	SCT	3015	80	73	2	5000	Cu			
20	125	3	10	CLR	3015	76	70	0	CLEAR				
21	120	3	10	CLR	3015	76	70	0	CLEAR				
22	115	2	10	CLR	3015	75	70	0	CLEAR				
23	130	2	10	CLR	3014	75	70	0	CLEAR				
24	120	3	10	CLR	3014	75	70	0	CLEAR				

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

ØØ-Ø4 MOORED IN A NEST OF TWO SHIPS PORT SIDE TO USS RIVAL (MSO 468) AT PIER "UNIFORM" BERTH THREE, U.S. NAVAL STATION, CHARLESTON, S.C. SOPA IS H.J. KOSSLER, RADM, USN, COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER.

Ø4-Ø8 MOORED AS BEFORE. Ø715 MUSTERED CREW ON STATION. ABSENTEES: ANDREWS, D.K., 523 74 57, BT2, USN, UNAUTHORIZED ABSENCE SINCE Ø715, 31 JULY 1964.

APPROVED: J.B. Cotter, CT U.S.N. COMMANDING

EXAMINED: [signature], LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SATURDAY (Day) 1 (Date) AUGUST (Month), 19 64

08-12 Moored as before. 0900 Made daily inspection of magazine; conditions normal.

Stuart W. Settle, Jr.
Ensign, USN

12-16 Moored as before.

Stuart W. Settle, Jr.
Ensign, USN

16-20. Moored as before.

Stuart W. Settle, Jr.
Ensign, USN

20-24 Moored as before.

Stuart W. Settle, Jr.
Ensign, USN

APPROVED: EXAMINED:

[signature] Lt U.S.N. COMMANDING [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE SUNDAY (Day) 2 (Date) AUGUST (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	0	10	CLR	3013	74	70	0	CLEAR				
02	125	3	10	CLR	3012	74	70	0	CLEAR				
03	120	3	10	CLR	3011	73	70	0	CLEAR				
04	—	0	8	SCT	3010	73	70	3	3000	ST			
05	—	0	7	BKN	3010	72	69	7	2000	ST			
06	—	0	7	BKN	3011	72	69	8	2000	ST			
07	095	2	7	BKN	3011	74	71	7	2000	ST			
08	—	0	7	BKN	3013	79	76	8	2000	ST			
09	—	0	8	OVC	3015	83	80	10	3000	ST As			
10	—	0	8	OVC	3016	85	82	10	3000	ST As			
11	—	0	8	OVC	3016	87	83	10	3000	ST As			
12	345	4	8	OVC	3015	86	83	10	3000	ST As			
13	335	7	8	OVC	3013	85	81	10	3500	Sc As			
14	325	4	8	OVC	3010	85	79	10	3500	Sc As			
15	325	3	8	OVC	3008	87	80	10	3500	Sc As			
16	340	2	8	BKN	3006	88	80	8	2500	Cu As			
17	335	3	8	BKN	3004	88	79	6	2500	Cu Ac			
18	325	3	8	SCT	3005	86	78	4	2500	Cu Ac			
19	330	2	8	SCT	3005	85	76	3	2500	Cu Ac			
20	—	0	8	SCT	3006	82	74	4	2500	Cu Cc			
21	—	0	8	SCT	3004	81	74	3	3000	Cu Cc			
22	—	0	8	SCT	3004	80	74	3	3000	Cu Cc			
23	—	0	8	SCT	3002	79	74	4	3000	Cu Cc			
24	—	0	8	SCT	3001	79	74	4	3000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored in a nest of two ships port side to USS RIVAL, (MSO-468) at Pier "V" berth 3, USNS, Charleston, S.C. SOPA is R. J. Kossler, RAdm., USN, COMINLANT. Ships present include various units of the U.S. Atlantic Fleet. Receiving Miscellaneous services from the pier. Ship is in condition of readiness IV, and material condition Yoke has been set.

Stuart W. Seth, Jr.
Ensign, USN

04-08 Moored as before. 0730 Mustered the crew on station, absentees; Andrew, A.K., 523-74-57, BT2, USN, unauthorized absence since 0715, 31 July 1964

Stuart W. Seth, Jr.
Ensign, USN

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: _____ LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) ~~MONDAY~~ SUNDAY ~~23~~ 22 (Day) (Date) AUGUST (Month), 19 64

0800-1200 MOORED AS BEFORE. 0900 MADE DAILY INSPECTION OF MAGAZINE CONDITIONS: NORMAL. 1030 THE SUMMARY COURT-MARTIAL, LT.(jg) B.J. TAYLOR, USNR, OPENED IN THE CASE OF SPENCER, M.B., 684 45 94, SA, USN, AND ADJOURNED AT 1047 TO AWAIT THE ACTION OF THE CONVENING AUTHORITY. 1115 SPENCER, M.B., 684 45 94, SA, USN WAS CONVICTED BY SUMMARY COURT-MARTIAL OF CHARGES OF ABSENCE FROM PLACE OF DUTY WITHOUT PROPER AUTHORITY ON 13 JULY 1964, TO 1300, 27 JULY 1964, IN VIOLATION OF ARTICLE 86, UCMJ; AND FAILURE TO OBEY A LAWFUL ORDER ON 12 JULY 1964, IN VIOLATION OF ARTICLE 92, UCMJ. SENTENCE — RESTRICTION TO USS ABILITY (MSO 519) FOR A PERIOD OF TWO (2) MONTHS AND REDUCTION TO NEXT INFERIOR RATE (E-1) WITH RECOMMENDATION FOR A THREE (3) MONTH SUSPENSION. THE COMMANDING OFFICER AS CONVENING AUTHORITY APPROVED AND ORDERED THE SENTENCE EXECUTED WITH THE FOLLOWING EXCEPTION: REDUCTION IN RATE TO SEAMAN RECRUIT (E-1) IS SUSPENDED FOR THREE MONTHS, AT WHICH TIME, UNLESS THE SUSPENSION IS SOONER VACATED, THE SENTENCE TO SEAMAN RECRUIT (E-1) WILL BE REMITTED WITHOUT FURTHER ACTION.

B.J. Taylor
LTJG USNR

1200-1600 MOORED AS BEFORE.

B.J. Taylor
LTJG USNR

1600-2000 MOORED AS BEFORE.

B.J. Taylor
LTJG USNR

2000-2400 MOORED AS BEFORE.

B.J. Taylor
LTJG USNR

APPROVED: J.S. Bottles LT U.S.N. COMMANDING

EXAMINED: J. Mennuzzo LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE MONDAY (Day) 3 (Date) AUGUST (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	—	0	8	SCT	3000	78	74	4	3000	Cu			
02	—	0	8	SCT	2998	76	73	4	3000	Cu			
03	245	2	7	BKN	2996	76	73	6	2500	Sc			
04	—	0	6	BKN	2995	75	73	7	3000	Sc Cc			
05	—	0	5	BKN	2994	76	73	7	3000	Sc Cc			
06	—	0	4	BKN	2994	77	74	7	2500	Sc Cc			
07	270	6	4	BKN	2995	80	75	8	2000	St Cc			
08	265	3	6	BKN	2995	80	77	8	2000	Sc Cc			
09	245	6	6	BKN	2995	83	79	7	2500	Sc Cc			
10	240	6	6	BKN	2995	86	81	8	3000	Sc Ac			
11	245	4	6	BKN	2993	92	87	8	3000	Sc Ac			
12	245	2	6	BKN	2991	93	89	6	3000	Sc Ac			
13	250	9	8	SCT	2990	93	89	4	3000	Sc Ci			
14	250	12	8	SCT	2990	96	88	5	3000	Sc Ci			
15	245	9	8	SCT	2988	94	88	5	3500	Sc Ci			
16	235	8	8	SCT	2988	90	87	4	4000	Sc Ci			
17	235	7	8	SCT	2987	89	84	5	4000	Sc Ci			
18	265	4	8	SCT	2985	89	84	5	4000	Sc Ci			
19	245	3	8	SCT	2983	88	84	4	6500	Ac Ci			
20	245	4	8	SCT	2981	88	84	4	6500	Ac Ci			
21	265	5	8	SCT	2979	87	83	5	7000	Ac Ci			
22	240	6	8	SCT	2978	87	83	5	7000	Ac Ci			
23	245	6	8	SCT	2978	86	82	4	7000	Ac Ci			
24	245	4	8	SCT	2977	86	82	4	7000	Ac Ci			

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 105

REMARKS

00-04 MOORED IN A NEST OF TWO SHIPS PORT SIDE TO USS RIVAL (MSO 468) AT PIER "UNIFORM" BERTH THREE, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA. SOPA IS H.J. KOSSLER, RADM, USN, COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN ~~MATERIAL~~ BQ2 CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

LTJG USNR

04-08 MOORED AS BEFORE. 0715 MUSTERED CREW AT QUARTERS. ABSENTEES: ANDREWS, D.K., 523 74 57, BT 2, USN, UNAUTHORIZED ABSENCE SINCE 0715, 31 JULY 1964.

LTJG USNR

APPROVED: _____ CT U.S.N. COMMANDING

EXAMINED: _____ LT U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) MONDAY 3 AUGUST 19 64
(Day) (Date) (Month)

0800-1200 MOORED AS BEFORE. 0835 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL.

J.H. King
Lt, USNR

1200-1600 MOORED AS BEFORE.

J.H. King
Lt, USNR

1600-2400 MOORED AS BEFORE.

J.H. King
Lt, USNR

2400-2400 MOORED AS BEFORE.

J.H. King
Lt, USNR

APPROVED: EXAMINED:

T.B. Bottley Jr. U.S.N. COMMANDING [illegible] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE TUESDAY 4 AUGUST (Day) (Date) (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	260	5	8	SCT	2977	85	80	4	7000	Ac Ci			
02	265	4	8	SCT	2976	83	79	5	7000	Ac Ci			
03	260	4	8	SCT	2975	80	77	5	7000	Ac Ci			
04	325	7	6	BKN	2977	80	77	7	4500	Sc Ac			
05	340	8	5	BKN	2978	80	77	8	4500	Sc Ac			
06	345	7	5	BKN	2979	80	77	8	4500	Sc Ac			
07	345	5	6	BKN	2981	80	78	9	4000	Sc Ac			
08	345	6	6	BKN	2981	80	78	9	4000	Sc Ac			
09	350	7	6	BKN	2982	82	79	8	4000	Sc Ac			
10	000	7	6	BKN	2984	83	80	8	4000	Sc Ac			
11	000	8	6	BKN	2984	85	81	8	4000	Sc Ac			
12	355	8	8	BKN	2985	86	82	7	3000	Sc As			
13	355	7	8	BKN	2986	86	81	9	3000	Sc As			
14	000	8	8	BKN	2987	85	81	9	3000	Sc As			
15	350	8	8	BKN	2987	86	81	8	3000	Sc As			
16	345	8	8	BKN	2988	86	81	9	3000	Sc As			
17	345	8	8	BKN	2988	85	80	9	3000	Sc As			
18	345	10	7	OVC	2989	81	77	10	2500	St As			
19	350	8	7	OVC	2990	78	74	10	2500	St As			
20	335	9	6	RW	2990	73	70	10	2000	Ns As			
21	345	13	6	R	2989	70	68	10	2000	Ns As			
22	345	15	5	R	2989	68	66	10	2000	Ns As			
23	345	14	5	R	2990	68	66	10	1500	Ns As			
24	345	12	5	R	2989	68	66	10	1500	Ns As			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

0

FUEL CONSUMED 0000-2400

0

REMARKS

0800-0400 MOORED IN NEST OF TWO SHIPS PORT SIDE TO USS RIVAL (MSO-468) AT PIER UNIFORM, U.S. NAVAL STATION, CHARLESTON, S.C. SOPA IS H.J. KOSSLER, RADM, USN, COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

J.M. King
LTJG USNR

0400-0800 MOORED AS BEFORE. 0715 MUSTERED THE CREW AT QUARTERS, ABSENTEES: ANDREWS, R.K., 523-74-57, BT 2, USN AOL SINCE 0715, 31 JULY 1964.

J.M. King
LTJG USNR

APPROVED: J.B. Cotter Jr. LT U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) TUESDAY (Day) 4 (Date) AUGUST (Month), 19 64

0800-1200 MOORED AS BEFORE. 0900 MADE DAILY INSPECTION OF MAGAZINE. CONDITIONS: NORMAL.

Stuart W. Scott, Jr.
Ensign, USN

1200-1600 MOORED AS BEFORE

Stuart W. Scott, Jr.
Ensign, USN

1600-2000 MOORED AS BEFORE.

Stuart W. Scott, Jr.
Ensign, USN

2000-2400 MOORED AS BEFORE.

Stuart W. Scott, Jr.
Ensign, USN

APPROVED: EXAMINED:

[signature] LT U.S.N. COMMANDING [signature] LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

S-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 5 (Date) AUGUST (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	335	13	5	R	2988	67	63	10	1500	Ns As			
02	340	14	5	R	2987	67	65	10	1500	Ns As			
03	340	10	6	RW	2987	68	66	10	2000	Ns As			
04	335	12	6	RW	2988	68	66	10	2000	Ns As			
05	345	14	6	R	2989	68	66	10	2500	Ns As			
06	345	12	6	R	2990	69	66	10	2500	Ns As			
07	345	12	7	OVC	2992	71	68	10	3500	Sc As			
08	340	13	7	RW	2992	71	69	10	3500	Ns As			
09	340	11	7	OVC	2992	75	71	10	3500	St As			
10	345	12	7	OVC	2993	80	74	10	3000	St As			
11	340	10	7	OVC	2994	85	77	10	3000	St As			
12	325	6	8	BKN	2994	84	77	9	3500	Sc As			
13	325	7	8	BKN	2993	85	77	9	4000	Sc As			
14	330	6	8	BKN	2991	85	77	9	4000	Sc Ac			
15	015	6	8	BKN	2990	85	77	8	4000	Sc Ac			
16	020	5	8	BKN	2991	84	76	9	4000	Sc Cc			
17	015	5	8	BKN	2991	82	74	8	4500	Sc Cc			
18	015	5	8	BKN	2991	82	76	8	5000	Sc Ci			
19	010	4	8	BKN	2990	82	75	8	5000	Sc Ci			
20	015	4	8	BKN	2992	82	75	7	7500	Ac Ci			
21	020	4	8	BKN	2993	80	74	7	7500	Ac Ci			
22	010	5	8	BKN	2994	79	74	6	8000	Ac			
23	325	4	8	SCT	2996	75	72	4	8000	Ac			
24	335	5	10	CLR	2997	73	70	0	CLEAR				

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

ØØ-Ø4 MOORED IN A NEST OF TWO SHIPS PORT SIDE TO USS RIVAL (MSO 468) AT PIER "UNIFORM" BERTH THREE, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA. SOPA IS H.J. KOSSLER, RADM, USN, COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER.

Stuart W. Smith, Jr.
Ensign, USN

Ø4-Ø8 MOORED AS BEFORE. Ø715 MUSTERED CREW AT QUARTERS. ABSENTEES: ANDREWS, D.K., 523 74 57, BT 2, USN, UNAUTHORIZED ABSENCE SINCE Ø715, 31 JULY 1964.

Stuart W. Smith, Jr.
Ensign, USN

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: _____ LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) WEDNESDAY (Day) 5 (Date) AUGUST (Month), 19 64

0800-1200 MOORED AS BEFORE. 1115 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS NORMAL.

[signature]
QMS USN

1200-1600 MOORED AS BEFORE.

[signature]
QMS USN

1600-2000 MOORED AS BEFORE.

[signature]
QMS USN

2000-2400 MOORED AS BEFORE.

[signature]
QMS USN

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE THURSDAY 6 AUGUST 19 64
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	330	4	10	CLR	2996	73	71	0	CLEAR				
02	335	3	10	CLR	2995	71	69	0	CLEAR				
03	335	3	10	CLR	2996	71	69	0	CLEAR				
04	350	5	10	CLR	2996	71	69	0	CLEAR				
05	345	6	10	CLR	2995	71	69	0	CLEAR				
06	000	5	10	CLR	2999	69	67	0	CLEAR				
07	010	6	8	SCT	3000	68	66	2	4500	Sc Ci			
08	035	7	8	SCT	3000	71	67	3	4500	Sc Ci			
09	045	6	10	SCT	3002	83	76	5	8000	Ac Ci			
10	050	5	10	SCT	3002	85	77	5	8000	Ac Ci			
11	050	3	10	BKN	3003	85	76	6	8000	Ac Ci			
12	—	0	10	BKN	3003	88	78	7	8000	Ac Ci			
13	—	0	10	BKN	3002	89	77	8	8000	Ac Ci			
14	215	2	8	BKN	3001	89	77	7	4500	Cu Ci			
15	225	3	8	BKN	3001	91	79	6	4500	Cu Ci			
16	215	3	8	BKN	3000	92	79	6	4000	Cu Ci			
17	215	4	8	BKN	3000	87	76	6	4000	Cu Ci			
18	220	3	8	BKN	2999	83	74	6	4000	Cu Ci			
19	225	3	8	SCT	3001	81	74	4	4000	Cu			
20	215	4	8	SCT	3003	80	72	4	4000	Cu			
21	215	3	8	SCT	3005	78	71	3	4500	Cu			
22	—	0	8	SCT	3007	76	71	3	5000	Cu			
23	—	0	8	SCT	3008	75	71	3	5000	Cu			
24	—	0	8	SCT	3008	75	71	3	5000	Cu			

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

0⌀-0⌀ MOORED PORT SIDE TO USS RIVAL (MSO-468) IN A NEST OF TWO SHIPS AT US NAVAL BASE, CHARLESTON SC, PIER "U-3". SOPA: COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

LTJG USN

0⌀-0⌀ MOORED AS BEFORE. 0715 MUSTERED CREW AT QUARTERS. ABSENTEES. ANDREWS, D.K, BT2, AWOL SINCE 0715 31 July 1964.

LTJG USN

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: _____ LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) THURSDAY (Day) 6 (Date) AUGUST (Month), 19 64

0800-1200 MOORED AS BEFORE. 0930 MADE DAILY INSPECTION OF MAGAZINE. CONDITIONS NORMAL.

Stuart W. Seth/E, Jr.
Ensign, USN

1200-1600 MOORED AS BEFORE

Stuart W. Seth/E, Jr.
Ensign, USN

1600-2000 MOORED AS BEFORE

Stuart W. Seth/E, Jr.
Ensign, USN

2000-2400 MOORED AS BEFORE

Stuart W. Seth/E, Jr.
Ensign, USN

APPROVED: EXAMINED:

[signature] U.S.N. COMMANDING [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

S-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-379) ZONE DESCRIPTION #5 DATE FRIDAY (Day) 7 (Date) AUGUST (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	090	2	8	SCT	3009	74	70	3	5000	Cu			
02	—	0	8	SCT	3008	74	70	4	5000	Cu			
03	—	0	8	SCT	3006	72	69	3	4500	Cu			
04	240	4	8	SCT	3005	72	69	3	4000	Cu			
05	—	0	8	SCT	3006	69	67	3	4000	Cu			
06	—	0	8	SCT	3007	68	66	3	4000	Cu			
07	—	0	8	SCT	3008	69	67	3	4000	Cu			
08	—	0	8	SCT	3010	70	67	3	4000	Cu			
09	—	0	10	SCT	3012	78	70	2	4000	Cu			
10	—	0	12	SCT	3014	91	80	2	3500	Cu			
11	090	2	12	SCT	3015	92	81	2	3500	Cu			
12	095	2	12	SCT	3015	93	82	1	3000	Cu			
13	100	3	12	CLR	3014	93	82	0	CLEAR				
14	100	4	12	CLR	3012	90	82	0	CLEAR				
15	115	5	12	SCT	3009	88	80	2	3000	Cu			
16	115	4	12	SCT	3007	87	79	1	3000	Cu			
17	125	7	12	SCT	3004	81	74	1	3000	Cu			
18	—	0	12	SCT	3003	82	75	2	3000	Cu			
19	—	0	12	SCT	3002	82	75	2	3000	Cu			
20	—	0	12	SCT	3001	82	76	1	3000	Cu			
21	045	2	12	SCT	3001	81	75	1	3000	Cu			
22	045	3	10	SCT	3003	80	74	2	3000	Cu			
23	050	3	10	SCT	3004	80	74	2	3000	Cu			
24	045	3	10	SCT	3006	80	74	2	3000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED PORTSIDE TO USS RIVAL (MSO 468) IN A NEST OF TWO SHIPS AT PIER UNIFORM, BERTH THREE, US NAVAL STATION, CHARLESTON, SOUTH CAROLINA. SOPA IS H.J. KOSSLER, RADM, USN, COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET, RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

Stuart W. Smith, Jr.
Ensign, USN

04-08 MOORED AS BEFORE. 0715 MUSTERED CREW AT QUARTERS. ABSENTEES: ANDREWS, DK., BT-2, 523 74 57, USN, AWOL SINCE 0715, 31 JULY 1964.

Stuart W. Smith, Jr.
Ensign, USN

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-574) FRIDAY (Day) 7 (Date) AUGUST (Month), 19 64

08-12 Moored as before. 1115 Made daily inspection of magazine, conditions normal.

Stuart W. Seth, Jr.
Ensign, USN

12-16 Moored as before. 1330 Commanding Officer held mast in the case of McCrack, Lewis E. Jr. 5M1 636-314-03, USN, accused of violating Article 134, UCMJ, Conduct unbecoming a Petty Officer. The following punishment was awarded: reduction in rate to 5M2, suspended for a period of ninety days.

Stuart W. Seth, Jr.
Ensign, USN

16-20. Moored as before.

Stuart W. Seth, Jr.
Ensign, USN

20-24. Moored as before.

Stuart W. Seth, Jr.
Ensign, USN

APPROVED: EXAMINED:

[signature] U.S.N. COMMANDING [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION 75 DATE SATURDAY (Day) 8 (Date) AUGUST (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	065	2	10	SCT	3006	81	76	3	3000	Cu			
02	060	2	10	SCT	3006	81	77	3	3000	Cu			
03	050	4	10	SCT	3006	80	77	4	3000	Cu			
04	060	2	8	BKN	3005	76	73	6	2500	Sc			
05	060	2	8	BKN	3005	75	71	7	2500	Sc			
06	045	2	8	BKN	3005	75	71	6	2500	Sc			
07	050	2	8	BKN	3006	76	72	6	2500	Sc			
08	—	0	7	BKN	3007	82	79	6	3000	Sc Ci			
09	325	3	6	BKN	3008	85	80	7	3000	Sc Ci			
10	335	3	5	BKN	3008	92	82	9	2000	Sc As			
11	330	3	6	BKN	3007	91	83	9	3000	Sc Ac			
12	340	4	8	BKN	3005	90	83	9	4000	Cu Ac			
13	345	3	8	BKN	3003	88	84	8	6500	Ac Ci			
14	350	5	8	BKN	3001	86	78	9	7000	Ac Ci			
15	350	5	8	BKN	2999	85	77	8	7000	Ac Ci			
16	010	6	8	BKN	2996	84	77	7	7000	Ac Ci			
17	075	7	8	BKN	2994	84	76	7	7000	Ac Ci			
18	075	7	8	BKN	2995	83	76	7	7000	Ac Ci			
19	095	6	8	BKN	2996	82	76	7	7000	Ac Ci			
20	180	6	8	SCT	2997	79	75	4	8000	Ac			
21	175	4	8	BKN	2999	78	75	6	7000	Ac Ci			
22	200	3	8	SCT	3000	78	75	5	7000	Ac Ci			
23	200	2	8	SCT	3000	78	75	4	8000	Ac			
24	230	3	8	SCT	3000	78	75	4	8000	Ac			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

0

FUEL CONSUMED 0000–2400

0

REMARKS

0000-0400 Moored port side to USS RIVAL, (MSO-468) in a nest of two ships at Pier "V" berth number 3 at USNS, Charleston, S.C. BOPA is R. J. Kossler, RAdm., USN, COMINLANT. Other ships present include various units of the U.S. Atlantic Fleet. Receiving miscellaneous services from the pier. Ship is in condition of readiness V, with material condition Yoke set.

Stuart W. Smith, Jr.
Ensign, USN

0400-0800 Moored as before. 0730 Mustered the crew, no stations, absentees, none.

Stuart W. Smith, Jr.
Ensign, USN

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SATURDAY (Day) 8 (Date) AUGUST (Month), 19 64

0800-1200 MOORED AS BEFORE. 1000 MADE DAILY INSPECTION OF MAGAZINE. CONDITIONS NORMAL.

1200-1600 MOORED AS BEFORE

1600-2000 MOORED AS BEFORE.

2000-2400 MOORED AS BEFORE.

APPROVED: EXAMINED:

U.S.N. COMMANDING U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE SUNDAY (Day) 9 (Date) AUGUST (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO /

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	0	8	SCT	3000	78	76	3	8000	Ac			
02	—	0	8	SCT	2999	78	76	3	8000	Ac			
03	—	0	8	SCT	2999	77	75	2	8000	Ac			
04	—	0	8	CLR	2998	77	75	0	CLEAR				
05	175	2	8	CLR	2998	79	76	0	CLEAR				
06	—	0	8	CLR	2999	81	76	0	CLEAR				
07	—	0	8	SCT	3000	83	76	3	20000	Cc			
08	180	3	8	SCT	3001	87	82	4	20000	Cc			
09	165	4	8	SCT	3001	89	83	4	20000	Cc			
10	165	4	7	SCT	3002	91	85	4	20000	Cc			
11	175	5	6	SCT	3002	95	88	5	8000	Ac Cc			
12	190	6	6	BKN	3002	95	88	7	6500	As Cu			
13	180	7	4	R	3001	100	98	10	3000	Ns As			
14	180	4	4	R	3001	89	86	10	2000	Ns As			
15	190	4	3	RW	3000	88	80	10	2000	ST As			
16	—	0	4	OVC	2999	78	73	10	2000	Sc As			
17	—	0	4	BKN	2998	78	73	9	2500	Sc Ac			
18	—	0	5	BKN	2998	76	73	9	2000	Sc Ac			
19	—	0	6	BKN	2997	75	72	8	2000	Cu Ac			
20	210	3	6	BKN	2997	75	72	8	2000	Cu Ac			
21	215	4	6	BKN	2997	75	72	7	2000	Cu Ac			
22	215	4	6	BKN	2998	74	71	8	3000	Sc Ac			
23	225	3	6	BKN	2998	74	71	7	3000	Sc Ac			
24	220	3	6	BKN	2998	74	71	7	3000	Sc Ac			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED IN A NEST OF TWO SHIPS PORT SIDE TO USS RIVAL (MSO 468) AT PIER UNIFORM, BERTH THREE, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA. SOPA IS H.J. KOSSLER, RADM, USN, COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

04-08 MOORED AS BEFORE. 0730 MUSTERED CREW ON STATION. ABSENTEES: NONE

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SUNDAY 9 AUGUST 64
(Day) (Date) (Month), 19

0800-1200 MOORED AS BEFORE. 1015 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL.

J.W. King
LT, USNR

1200-1600 MOORED AS BEFORE.

J.W. King
LT, USNR

1600-2000 MOORED AS BEFORE.

J.W. King
LT, USNR

2000-2400 MOORED AS BEFORE.

J.W. King
LT, USNR

APPROVED: EXAMINED:

[signature] CDR U.S.N. COMMANDING [signature] LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS AGILITY (MSO-519) ZONE DESCRIPTION +5 DATE MONDAY (Day) 10 (Date) AUGUST (Month), 19 61

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	225	4	6	BKN	2997	74	71	8	3000	Sc Ac			
02	230	3	6	BKN	2997	73	71	7	3000	Sc Ac			
03	235	3	6	BKN	2996	73	71	8	3000	Sc Ac			
04	—	0	5	OVC	2995	73	71	10	2500	Sc As			
05	—	0	5	OVC	2996	74	72	10	2500	Sc As			
06	—	0	5	OVC	2996	74	72	10	2500	St As			
07	245	3	4	R	2998	74	73	10	2000	Ns As			
08	250	4	3	R	2999	75	74	10	2000	Ns As			
09	250	3	4	RW	3001	76	75	10	2000	Ns As			
10	260	4	6	OVC	3004	76	75	10	2000	St Ac			
11	145	6	6	OVC	3003	79	76	10	2000	St Ac			
12	145	9	6	BKN	3002	83	78	8	2000	St Ac			
13	145	12	7	BKN	3001	87	81	7	2500	Sc Ac			
14	150	12	7	BKN	3000	85	81	8	2500	Sc Ac			
15	145	8	7	BKN	2999	85	80	8	2500	Sc Ac			
16	135	9	7	OVC	2999	83	79	10	2500	Sc Ac			
17	150	8	8	OVC	3000	82	78	10	2500	St As			
18	160	9	8	R	3000	82	78	10	2500	Ns As			
19	155	7	8	RW	3000	80	77	10	3000	Ns As			
20	165	7	8	R	3000	80	77	10	3000	Ns As			
21	160	8	8	R	3001	80	78	10	3000	Ns As			
22	165	7	8	R	3000	80	78	10	3000	Ns As			
23	160	6	8	OVC	2999	80	77	10	3000	St As			
24	160	7	8	OVC	2999	80	77	10	3000	Sc As			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 MOORED IN A NEST OF TWO SHIPS PORT SIDE TO USS RIVAL (MSO-468) AT PIER UNIFORMS, U.S. NAVAL STATION, CHARLESTON, S.C. SOPA IS H. J. ICOSSLER KAOM, USN, COMINCLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET. SHIP RECEIVING MISCELLANEOUS SERVICES FROM PIER.

J. H. Kelly
LTJG USNR

04-08 MOORED AT BEFORE. 0715 MUSTERED THE CREW AT QUARTERS; ABSENTEES: NONE

J. H. Kelly
LTJG USNR

APPROVED: T. B. Botley LT U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) MONDAY 10 AUGUST (Day) (Date) (Month), 19 64

0800-1200 MOORED AS BEFORE. 0900 MADE DAILY INSPECTION OF MAGAZINE. CONDITIONS NORMAL.

Stuart W. Seth, Jr.
Ensign, USN

1200-1600 MOORED AS BEFORE. 1210 GLEASON, R.H., 497 42 14, BM 2, USN, RETURNED ON BOARD HAVING BEEN AWOL SINCE 0715 THIS DATE.

Stuart W. Seth, Jr.
Ensign, USN

1600-2000 MOORED AS BEFORE.

Stuart W. Seth, Jr.
Ensign, USN

2000-2400 MOORED AS BEFORE.

Stuart W. Seth, Jr.
Ensign, USN

APPROVED: EXAMINED:

[signature] Lt U.S.N. COMMANDING [signature] Lt U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE TUESDAY (Day) 11 (Date) AUGUST (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	165	3	7	R	2997	78	76	10	2500	Ns As			
02	170	4	6	R	2996	78	76	10	2000	Ns As			
03	170	2	6	R	2995	78	77	10	2000	Ns As			
04	—	0	6	R	2994	76	74	10	1500	Ns As			
05	—	0	7	OVC	2995	75	74	10	2000	St As			
06	—	0	7	OVC	2995	76	74	10	2000	Sc Ac			
07	—	0	7	OVC	2995	76	74	10	2500	Sc Ac			
08	180	3	6	BKN	2999	82	79	7	3500	Sc Cc			
09	180	3	6	BKN	2998	81	79	7	3000	Sc Cc			
10	185	3	6	BKN	2997	83	80	7	3000	Sc Cc			
11	210	5	7	BKN	2995	90	83	6	3000	Sc Cc			
12	215	9	7	BKN	2995	90	82	7	3000	Sc Cc			
13	190	12	7	BKN	2993	87	79	7	3000	Sc As			
14	185	10	7	OVC	2992	85	80	10	2500	Sc As			
15	215	11	7	OVC	2990	75	71	10	2500	St As			
16	200	9	7	RW	2990	76	72	10	2000	Ns As			
17	205	7	7	RW	2989	76	72	10	2000	Ns As			
18	215	6	7	OVC	2988	75	72	10	2000	St As			
19	215	7	7	RW	2989	75	73	10	2000	St As			
20	210	6	7	OVC	2991	75	72	10	2500	Sc As			
21	220	6	7	OVC	2991	74	72	10	2500	Sc As			
22	215	4	7	OVC	2992	74	72	10	2500	Sc As			
23	225	6	7	BKN	2992	74	72	8	3000	Sc Ac			
24	220	6	7	BKN	2992	74	72	7	3000	Sc Ac			

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

ØØ-Ø4 MOORED IN A NEST OF TWO SHIPS PORT SIDE TO USS RIVAL (MSO 468) AT PIER UNIFORM, BERTH THREE, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA. SOPA IS H.J. KOSSLER, RADM, USN, COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS ~~IV~~ III WITH MATERIAL CONDITION YOKE SET.

Stuart W. Scott, Jr.
Ensign, USN

Ø4-Ø8. MOORED AS BEFORE. Ø715 MUSTERED CREW AT QUARTERS. ABSENTEES: NONE.

Stuart W. Scott, Jr.
Ensign, USN

APPROVED: _____ Lt U.S.N. COMMANDING

EXAMINED: _____ Lt U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) TUESDAY (Day) 11 (Date) AUGUST (Month), 19 64

0800-1200 MOORED AS BEFORE. 0926 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS NORMAL.

[signature]
LTJG USNR

1200-1600 MOORED AS BEFORE.

[signature]
LTJG USNR

1600-2000 MOORED AS BEFORE.

[signature]
LTJG USNR

2000-2400 MOORED AS BEFORE.

[signature]
LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 12 (Date) AUGUST (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	225	3	7	BKN	2991	75	73	7	3000	ScAc			
02	215	5	7	BKN	2990	75	73	7	3000	ScAc			
03	220	7	7	BKN	2989	74	72	6	2000	ScAc			
04	230	8	7	BKN	2989	74	72	6	2000	ScAc			
05	230	4	7	BKN	2988	75	73	7	2000	ScAc			
06	245	5	7	OVC	2989	77	75	10	2000	ScAc			
07	240	7	7	BKN	2989	77	75	9	2000	Sc C1			
08	230	8	7	OVC	2990	79	77	10	2000	Sc C1			
09	235	7	7	OVC	2990	81	77	10	2000	Sc C1			
10	245	6	8	OVC	2990	83	78	10	2500	Cu C1			
11	245	6	8	BKN	2988	90	80	8	2500	Cu C1			
12	245	11	8	BKN	2986	91	81	7	3000	Cu C1			
13	245	12	8	BKN	2984	92	81	7	3000	Cu C1			
14	230	10	10	BKN	2984	92	82	6	3000	Cu C1			
15	235	9	10	BKN	2983	92	82	6	2500	Cu C1			
16	240	12	10	BKN	2981	90	81	7	2500	Cu C1			
17	235	9	10	BKN	2980	88	80	6	2500	Cu C1			
18	245	8	8	BKN	2981	88	80	6	2500	Cu C1			
19	245	7	8	BKN	2983	87	80	8	2000	Sc C1			
20	250	7	7	OVC	2983	87	80	10	1500	St As			
21	240	6	7	OVC	2985	85	79	10	1500	St As			
22	240	7	7	BKN	2986	80	75	7	2000	Sc As			
23	255	4	7	BKN	2988	78	74	8	2000	Sc As			
24	260	3	7	BKN	2988	78	74	7	2000	Sc As			

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

ØØ-Ø4 MOORED IN A NEST OF TWO SHIPS PORT SIDE TO USS RIVAL (MSO 468) AT PIER URIFORM, BERTH THREE, US NAVAL STATION, CHARLESTON, SOUTH CAROLINA. SOPA IS H.J. KOSSLER, RADM, USN, COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET. RECEIVING MISCELANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS III WITH MATERIAL CONDITION YOKE SET.

[signature]
LTJG USN

Ø4-Ø8 MOORED AS BEFORE. Ø715 MUSTERED CREW AT QUARTERS. ABSENTEES: NONE.

[signature]
LTJG USN

APPROVED: [signature] CT U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) WEDNESDAY (Day) 12 (Date) AUGUST (Month), 19 64

0800-1200 MOORED AS BEFORE. 0930 MADE DAILY INSPECTION OF MAGAZINE. CONDITIONS NORMAL.

J. Freeman USN

1200-1600 MOORED AS BEFORE.

J. Freeman USN

1600-2000 MOORED AS BEFORE.

J. Freeman USN

2000-2400 MOORED AS BEFORE.

J. Freeman USN

APPROVED: EXAMINED:

[signature] CT U.S.N. COMMANDING [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE THURSDAY (Day) 13 (Date) AUGUST (Month), 19 64

AT ~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	255	4	7	BKN	2987	77	74	7	2000	Sc As			
02	245	6	7	BKN	2986	77	75	8	2000	Sc As			
03	250	7	6	OVC	2985	76	74	10	1500	St As			
04	265	6	6	OVC	2985	75	73	10	1500	St As			
05	265	6	6	OVC	2986	75	73	10	2000	St As			
06	260	6	5	OVC	2987	75	74	10	2000	St As			
07	260	7	5	OVC	2989	75	73	10	2000	St As			
08	265	9	6	OVC	2990	76	73	10	2000	St As			
09	255	11	6	OVC	2991	80	75	10	2000	St As			
10	250	9	8	BKN	2992	84	77	9	3500	Sc As			
11	255	7	8	BKN	2994	87	78	7	3500	Sc As			
12	215	3	8	BKN	2995	90	79	8	3500	Sc Cl			
13	215	4	8	BKN	2996	90	80	7	4000	Sc Cl			
14	—	0	8	BKN	2997	89	80	6	4000	Sc Cl			
15	—	0	8	SCT	2996	89	80	4	4000	Sc Cl			
16	155	4	8	SCT	2995	87	79	4	3500	Sc Cl			
17	160	3	8	SCT	2995	82	75	3	3500	Sc Cl			
18	145	3	8	SCT	2994	80	76	4	3500	Sc Cl			
19	135	3	8	SCT	2993	78	73	3	4000	Sc Cl			
20	145	4	8	SCT	2992	77	73	4	4000	Sc Cl			
21	145	6	8	SCT	2991	75	72	3	4000	Sc Cl			
22	150	6	8	SCT	2991	75	72	4	3000	Sc Cl			
23	140	5	8	SCT	2991	74	71	4	3000	Sc Cl			
24	140	6	8	SCT	2991	74	71	4	3000	Sc Cl			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED IN A NEST OF TWO SHIPS PORT SIDE TO USS RIVAL (MSO 468) AT PIER UNIFORM, BERTH THREE, US NAVAL STATION, CHARLESTON, SOUTH CAROLINA. SOPA IS H.V. KOSSLER, RADM, USN, COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS III WITH MATERIAL CONDITION YOKE SET.

04-08 MOORED AS BEFORE. 0715 MUSTERED CREW AT QUARTERS. ABSENTEES: NONE.

APPROVED:

[signature] LT U.S.N. COMMANDING

EXAMINED:

[signature] LT U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) THURSDAY (Day) 13 (Date) AUGUST (Month), 19 64

Ø8-12. Moored as before. Ø8Ø9. Set the special Sea Detail to part with USS RIVAL, (MSO-468) to heave out from North "V" 3. Ø83Ø Secured the special sea detail. Ø915. Made daily inspection of magazine; conditions normal.

Stuart W. Smith, Jr.
Ensign, USN

12-16 Moored as before.

Stuart W. Smith, Jr.
Ensign, USN

16-2Ø Moored as before.

Stuart W. Smith, Jr.
Ensign, USN

2Ø-24. Moored as before.

Stuart W. Smith, Jr.
Ensign, USN

APPROVED: EXAMINED:

[signature] U.S.N. COMMANDING [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE FRIDAY (Day) 14 (Date) AUGUST (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	135	6	8	SCT	2990	73	71	3	3000	Sc C_1			
02	120	4	8	SCT	2990	72	70	4	3000	Sc C_1			
03	045	3	7	SCT	2991	70	66	4	2500	St C_1			
04	010	3	6	SCT	2992	70	68	5	2000	St C_1			
05	015	2	6	SCT	2993	70	68	4	2000	St C_1			
06	010	3	6	SCT	2994	70	68	4	2000	St C_1			
07	000	3	8	SCT	2995	71	69	4	20000	C_1			
08	015	4	8	SCT	2995	72	69	5	20000	C_1			
09	025	3	8	SCT	2996	74	70	5	20000	C_1			
10	045	2	8	BKN	2996	76	72	7	8000	Ac C_1			
11	085	2	8	BKN	2997	78	73	8	7000	Ac C_1			
12	065	4	8	BKN	2998	80	73	8	4000	Sc C_1			
13	090	4	8	BKN	2997	85	74	9	3500	Sc Cc			
14	090	5	8	BKN	2997	87	76	8	3500	Sc Cc			
15	100	6	8	BKN	2996	88	77	7	3500	Sc Cc			
16	115	7	8	BKN	2996	88	77	7	3500	Sc C_1			
17	095	7	8	BKN	2994	86	77	7	3500	Sc C_1			
18	100	8	8	BKN	2993	82	74	7	3000	Sc C_1			
19	075	6	8	SCT	2992	80	73	5	3000	Sc Ac			
20	080	6	8	SCT	2990	78	72	4	3000	Sc Ac			
21	070	5	8	SCT	2991	73	70	4	3000	Sc Ac			
22	045	6	8	SCT	2991	70	67	4	3000	Sc Ac			
23	060	7	8	SCT	2992	69	67	4	3000	Sc Ac			
24	060	5	8	SCT	2992	69	67	4	3000	Sc Ac			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04. Moored in a nest of ships port side to USS RIVAL, (MSO-468) at Pier "U", Path 3. USNS, Charleston, S.C. SOPA is H. J. Kossler, RAdm., USN, COMINCLANT. Ships present include units of the U.S. Atlantic Fleet. Receiving miscellaneous services from the pier. Ship is in condition of readiness IV, with material condition Yoke Set.

Stuart W. Smith, Jr.
Ensign, USN

04-08 Moored as before. 0715 Mustered the crew at quarters; absentees: none.

Stuart W. Smith, Jr.
Ensign, USN

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) FRIDAY (Day) 14 (Date) AUGUST (Month), 19 64

0800-1200 MOORED AS BEFORE. 0930 MADE DAILY INSPECTION OF MAGAGINE. CONDITIONS NORMAL. 1000 TESTED MAGAZINE SPRINKLER SYSTEM. CONDITIONS SATISFACTORY.

J. E. Clark Jr
Ensign, USNR

1200-1600 MOORED AS BEFORE.

J. E. Clark Jr
Ensign, USNR

1600-2000 MOORED AS BEFORE.

J. E. Clark Jr
Ensign, USNR

2000-2400 MOORED AS BEFORE.

J. E. Clark Jr
Ensign, USNR

APPROVED: EXAMINED:

[signature] U.S.N. COMMANDING [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE SATURDAY (Day) 15 (Date) AUGUST (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	045	5	8	SCT	2993	69	66	4	3000	Sc Ac			
02	045	6	8	SCT	2994	69	66	4	3000	Sc Ac			
03	050	6	7	BKN	2995	68	66	7	2500	Sc As			
04	035	4	7	BKN	2997	67	65	8	2500	Sc As			
05	015	2	6	BKN	2998	69	67	7	2000	St As			
06	015	3	5	BKN	2999	69	67	7	2000	St As			
07	020	6	5	BKN	3000	70	67	8	2000	St As			
08	035	6	7	BKN	3000	72	69	7	2500	Sc Ac			
09	045	7	8	SCT	3001	78	75	5	3000	Sc Ac			
10	045	9	7	BKN	3001	82	78	9	3000	Sc Ac			
11	060	10	7	OVC	3002	81	78	10	3000	Sc Ac			
12	045	9	7	BKN	3002	81	76	9	3000	Sc Cu			
13	045	7	7	BKN	3001	82	74	9	2500	Sc Cu			
14	050	6	7	BKN	3000	82	74	8	2500	Sc Cu			
15	040	5	7	BKN	3000	81	73	8	2500	Sc Cu			
16	045	7	7	BKN	2999	81	73	9	2500	Sc Cu			
17	030	7	7	BKN	2997	80	73	7	2500	Sc Cu			
18	020	8	7	BKN	2997	79	73	8	2500	Sc Cu			
19	015	9	7	BKN	2998	79	74	7	2500	Sc Cu			
20	025	7	8	SCT	2999	80	74	5	3000	Sc Ac			
21	010	6	10	SCT	3000	79	74	4	4000	Sc Ac			
22	000	5	10	SCT	2999	78	73	4	4000	Cu Ac			
23	010	3	10	SCT	2998	78	73	4	4000	Cu Ac			
24	—	0	10	SCT	2996	78	73	4	4000	Cu Ac			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

ØØ-Ø4 MOORED IN A NEST OF TWO SHIPS PORT SIDE TO USS RIVAL (MSO 468) AT PIER UNIFORM, BERTH THREE, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA. SOPA IS HJ KOSSLER, RADM, USN, COMNLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

J.E. Clark Jr
Ensign, USNR

Ø4-Ø8 MOORED AS BEFORE. Ø73Ø MUSTERED CREW ON STATION. ABSENTEES: NONE.

J.E. Clark Jr
Ensign, USNR

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: _____ LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SATURDAY (Day) 15 (Date) AUGUST (Month), 1964

08-12 MOORED AS BEFORE. 1015 MADE DAILY INSPECTION OF MAGAZINES. AT CONDITIONS NORMAL. BQ2

LTJG USN

12-16 MOORED AS BEFORE.

LTJG USN

16-20 MOORED AS BEFORE.

LTJG USN

20-24 MOORED AS BEFORE.

LTJG USN

APPROVED: EXAMINED:

U.S.N. COMMANDING U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE SUNDAY (Day) 16 (Date) AUGUST (Month), 19 64

AT/~~PASSAGE~~ FROM CHARLESTON S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	0	10	SCT	2997	76	72	4	4000	Cu Ac			
02	—	0	10	SCT	2996	73	70	5	5000	Cu Ac			
03	—	0	10	SCT	2996	73	70	5	4000	Cu Ac			
04	035	5	8	BKN	2996	69	68	7	3500	Cu Ac			
05	030	7	8	BKN	2997	69	66	8	3000	Cu Ac			
06	030	5	7	BKN	2997	69	66	9	3000	Sc Ac			
07	045	5	7	OVC	2997	74	70	10	3000	Sc Ac			
08	050	6	7	OVC	2998	75	70	10	3000	Sc Ac			
09	045	4	7	OVC	2998	79	74	10	3000	Sc Cı			
10	045	6	7	OVC	2999	85	78	10	3000	Sc Cı			
11	135	7	7	OVC	3000	90	82	10	3500	Sc Cı			
12	145	4	6	OVC	3000	90	82	10	3000	Sc Cı			
13	135	3	6	OVC	3001	91	82	10	2500	Sc Cı			
14	140	4	6	OVC	3000	89	82	10	2500	Sc Cı			
15	140	4	7	OVC	3000	86	81	10	2500	Sc Cı			
16	130	5	7	OVC	2999	86	80	10	3500	Sc Cı			
17	140	8	7	OVC	2997	82	76	10	3500	Sc Cı			
18	130	9	8	OVC	2995	81	77	10	4000	Sc Cı			
19	130	7	8	OVC	2995	80	76	10	4000	Sc Cı			
20	125	6	8	BKN	2994	79	75	7	4500	Sc			
21	130	6	8	BKN	2996	79	74	7	4500	Sc			
22	130	8	8	BKN	2996	79	74	7	4500	Sc			
23	115	9	8	BKN	2997	80	74	9	4500	Sc			
24	115	6	8	BKN	2997	79	73	9	4500	Sc			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 0

REMARKS

04-04 MOORED IN A NEST OF TWO SHIPS AT PIER "U-3" US NAVAL STATION, CHARLESTON S.C. WITH USS RIVAC INBOARD TO PORT. SOPA: COMLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

B J Duffy Jr
LTJG USN

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW ON STATION. ABSENTEES NONE.

B J Duffy Jr
LTJG USN

APPROVED: J G Botteri LT U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SUNDAY (Day) 16 (Date) AUGUST (Month), 19 64

0800-1200 MOORED AS BEFORE. 1020 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL.

J. H. King
LTJG USNR

1200-1600 MOORED AS BEFORE.

J. H. King
LTJG USNR

1600-2000 MOORED AS BEFORE.

J. H. King
LTJG USNR

2000-2400 MOORED AS BEFORE.

J. H. King
LTJG USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE MONDAY (Day) 17 (Date) AUGUST (Month), 19 64

~~AT~~/PASSAGE FROM CHARLESTON, S.C. TO LOCAL OPERATIONS

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	130	6	8	RW	2995	78	75	10	3000	Ns			
02	135	5	8	RW	2994	78	76	10	2500	Ns			
03	120	6	6	OVC	2994	78	75	10	2000	Sc			
04	115	6	6	OVC	2993	78	75	10	2000	Sc			
05	120	6	6	OVC	2994	79	76	10	2000	Sc C_1			
06	125	3	6	OVC	2995	79	76	10	2000	Sc C_1			
07	165	4	6	OVC	2996	80	77	10	2000	Sc C_1			
08	180	3	6	OVC	2997	85	79	10	2000	Sc C_1			
09	180	3	7	BKN	2999	87	81	6	2000	Cu C_1	83	190	1/2
10	185	4	7	BKN	2998	86	81	7	3000	Cu C_1	82	190	1
11	215	3	8	BKN	2998	85	81	8	7000	Ac C_1	82	200	1
12	210	3	8	BKN	2996	86	81	8	7000	Ac C_1	80	200	1
13	190	13	7	BKN	2995	87	81	8	3500	Sc C_1	80	195	1
14	180	12	6	OVC	2993	85	80	10	3000	St C_1	80	190	1
15	175	14	1	RW	2991	84	80	10	1000	Ns C_1	85	190	0
16	180	10	3	OVC	2992	81	78	10	1500	St C_1		—	
17	180	6	3	BKN	2993	82	78	9	1500	St C_1			
18	215	5	5	BKN	2993	82	78	9	2500	Sc C_1			
19	220	5	5	BKN	2993	82	78	8	2500	Sc C_1			
20	230	7	6	BKN	2994	82	78	9	3000	Sc C_1			
21	235	8	6	BKN	2995	81	78	9	3000	Sc C_1			
22	240	5	6	BKN	2996	80	77	9	3000	Sc C_1			
23	235	4	6	BKN	2996	79	76	9	3000	Sc C_1			
24	235	5	6	BKN	2996	77	75	8	3000	Sc C_1			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 32°-36'N		BY 2
λ 79°39.6'W		BY 2
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM — (ZT) — (Date)

TO (ZT) (Date)

SET —

DRIFT —

POSITION BETWEEN FIXES

MID. L —

MID. λ —

MILES STEAMED 0000-2400: 46.5

FUEL CONSUMED 0000-2400: 353

REMARKS

00-04 MOORED IN A NEST OF TWO SHIPS PORTSIDE TO USS ALVAC (MSO-468) AT PIER NAVIFORM, U.S. NAVAL STATION, CHARLESTON, S.C. SOPA IS H.J. KUSSLER, RADM, USN, COMINLANT; SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET. SHIP RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

J.A. King
Lt(jg) USNR

04-08 MOORED AS BEFORE. 0715 MUSTERED THE CREW AT QUARTERS; ABSENTEES: NONE. 0730 SECURED IN PORT WATCH. SET SEA DETAIL. 0740 DRAFT FWD 10'6", AFT 11'4". CAPTAIN AND NAVIGATOR ON BRIDGE.

J.A. King
Lt(jg) USNR

APPROVED: J.B. Cottle Jr CT U.S.N. COMMANDING

EXAMINED: J. Newman CT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) MONDAY 17 AUGUST (Day) (Date) (Month) 19 64

0800-1200 Moored as before, 0814 Underway for ISE Charleston Op. Area. 0817. Maneuvering at various courses and speeds whilst standing out of the channel. 0927. Secured the special Sea Detail and set the regular underway watch; on deck Section I. 0952. Conducted man overboard drill until 0959. 1011 Commenced engineering casualty drills. 1034 Sounded General Quarters, 1134 Secured from General Quarters 1135 Engineering casualty drills completed. 1140 Made daily inspection of magazine; conditions normal.

Stuart W. Seth/E. Jr.
Ensign, USN

1200-1600 Steaming as before. 1304 Sounded General Quarters. 1306 Material Condition Zebra set throughout the ship. 1310 Commenced damage control drills. 1353 Made preparations to abandon ship. 1406 Secured from General Quarters and set the regular Underway watch; on deck Section II. 1412 Passed into inland waters. 1413 Sounded the Special Sea Detail and commenced maneuvering at various courses and speeds whilst standing up the channel. 1455 Visibility reduced to 500 yards because of rain squall. 1526. Moored port side to USS RIVAL, (MSO-468) at Pier "K" berth 3, USNS, Charleston, S.C. 1553 Secured the Special Sea Detail and set the regular inport watch.

Stuart W. Seth/E. Jr.
Ensign, USN

1600-2000 Moored as before.

Stuart W. Seth/E. Jr.
Ensign, USN

2000-2400 Moored as before.

Stuart W. Seth/E. Jr.
Ensign, USN

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE TUESDAY 18 AUGUST (Day) (Date) (Month), 19 64

AT/PASSAGE FROM CHARLESTON, S.C. TO LOCAL OPERATIONS

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	245	5	6	BKN	2996	77	75	7	3000	Sc Cl			
02	270	5	6	BKN	2995	77	75	8	2500	Sc Cl			
03	275	7	6	BKN	2993	76	74	8	2000	St Cl			
04	320	9	5	BKN	2992	75	73	8	2000	St Cl			
05	325	6	3	H	2992	75	73	8	1000	St Cl			
06	320	7	3	H	2994	74	73	8	1000	St Cl			
07	320	6	5	BKN	2995	76	74	9	1500	St Cl			
08	045	6	6	BKN	2996	77	75	8	3000	Sc Ac			
09	045	6	6	BKN	2997	80	76	9	6500	Ac Cc	83	—	0
10	050	3	8	BKN	2996	82	75	9	6500	Ac Cc	83	050	1/2
11	050	2	8	SCT	2995	83	77	7	7000	Ac Cc	83	045	1/2
12	045	2	8	SCT	2994	84	76	4	7000	Ac Cc	83	045	1/2
13	060	4	8	SCT	2993	85	76	5	4000	Sc Ac	83	—	0
14	055	5	8	SCT	2992	86	77	5	4000	Sc Ac	83	—	0
15	090	4	8	SCT	2990	87	78	5	4500	Sc Ac			
16	115	6	8	SCT	2989	86	78	4	4000	Sc Ac			
17	160	7	8	BKN	2989	84	77	6	3500	Sc Cl			
18	145	8	8	BKN	2989	84	77	7	3500	Sc Cl			
19	140	8	8	BKN	2988	84	77	6	3500	Sc Cl			
20	145	7	8	BKN	2987	83	76	6	3500	Sc Cl			
21	135	8	8	SCT	2986	83	76	4	3000	Sc Cl			
22	145	6	8	SCT	2987	83	76	5	3000	Sc Cl			
23	145	5	8	SCT	2988	82	76	4	4000	Sc Cl			
24	145	4	8	SCT	2988	82	76	4	4000	Sc Cl			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 32°-42.1'N		BY 2-3
λ 79°-46.5'W		BY 2-3
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 42.5

FUEL CONSUMED 0000-2400: 1067

REMARKS

00-04 Moored port side to USS RIVAL, (MSO-468) at Pier "U" berth 3, USNS, Charleston, S.C. SOPA is R.J. Kossler, Rdm., USN, COMINLANT. Ships present include units of the US Atlantic Fleet. Receiving miscellaneous stores from the pier. Ship is in condition of readiness IV with material condition Yoke set.

Stuart W. Scott, Jr.
Ensign, USN

04-08. Moored as before. 0715 Mustered the crew at Quarters; absentees: none. 0730 Sounded Set the Special Sea Detail. 0757 Underway to conduct tactical exercises with USS RIVAL. Maneuvering at various courses and speeds whilst standing down the channel. SWS

Stuart W. Scott, Jr.
Ensign, USN

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: _____ LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) TUESDAY 18 AUGUST (Day) (Date) (Month), 19 64

~~ØØ~~ Ø8-12 UNDERWAY AS BEFORE. Ø9Ø2 SECURED SPECIAL SEA DETAIL, SET THE REGULAR STEAMING WATCH. Ø93Ø MADE DAILY INSPECTION OF MAGAZINE: CONDITIONS NORMAL. 1ØØ3 HELD "MAN OVERBOARD" DRILL 1ØØ8 SECURED FROM "MAN OVERBOARD" DRILL.

12-16 STEAMING AS BEFORE. 1213 SET SPECIAL SEA DETAIL MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM TO CHANNEL 1326 MOORED PORT SIDE TO PIER UNIFORM BERTH THREE 1335 SECURED SEA DETAIL, SET INPORT WATCH.

16-2Ø MOORED AS BEFORE.

2Ø-24 MOORED AS BEFORE.

APPROVED: EXAMINED:

LT U.S.N. COMMANDING LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 19 (Date) AUGUST (Month), 19 64

AT/PASSAGE FROM CHARLESTON, S.C. TO LOCAL OPERATIONS

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	150	4	8	SCT	2987	82	78	4	4000	Sc Cl			
02	165	3	8	SCT	2987	82	79	4	4000	Sc Cl			
03	175	4	7	BKN	2986	80	77	6	3000	Sc Cl			
04	180	3	6	BKN	2986	78	75	7	3000	Sc As			
05	215	3	5	BKN	2988	75	73	8	2500	St As			
06	—	0	4	H	2988	75	73	7	2000	St Cl			
07	335	2	3	H	2989	78	76	8	2000	St Cl			
08	—	0	2	GF	2990	80	76	8	1000	St Cl			
09	—	0	1	GF	2991	82	77	8	500	St Cl			
10	—	0	3	H	2993	83	80	10	1000	St Cl			
11	—	0	4	H	2992	84	80	10	1500	St Cl			
12	—	0	4	H	2990	89	83	10	1000	St Cl			
13	175	3	4	H	2990	90	83	9	1500	St Cl			
14	180	4	5	H	2989	92	83	9	1500	St			
15	180	5	5	H	2989	93	83	8	1500	St			
16	185	5	5	H	2989	93	84	9	1500	St			
17	180	4	5	H	2988	89	82	9	1500	St			
18	170	4	6	BKN	2988	85	79	8	2000	St Cl			
19	165	3	6	BKN	2987	82	78	8	2000	Sc Cl			
20	180	3	6	BKN	2988	82	78	7	2000	Sc Cl			
21	180	3	6	BKN	2989	80	76	9	2000	Sc Cl			
22	175	3	6	BKN	2990	80	76	8	2000	Sc Cl			
23	175	3	6	BKN	2990	79	76	7	2000	Sc Cl			
24	—	0	6	SCT	2990	77	74	5	2500	Sc Cl			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 32°-36.8'N		BY 2-3
λ 79°-41.1'W		BY 2-3
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	— (ZT) (Date)
TO	(ZT) (Date)
SET	—
DRIFT	—
POSITION BETWEEN FIXES	
MID. L	—
MID. λ	—

MILES STEAMED 0000-2400
49.5

FUEL CONSUMED 0000-2400
0

REMARKS

ØØ-Ø4 MOORED PORT SIDE TO PIER UNIFORM, BERTH THREE, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA. SOPA IS H.J. KOSSLER, RADM, USN, COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

Ø4-Ø8 MOORED AS BEFORE. Ø715 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

APPROVED: H G Bottley Jr CT U.S.N. COMMANDING

EXAMINED: CT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) WEDNESDAY 19 AUGUST 19 64
(Day) (Date) (Month)

0800-1200 MOORED AS BEFORE. 0801 SECURED IN PORT WATCH. SET SEA DETAIL. CAPTAIN AND NAVIGATOR ON BRIDGE. 0840 UNDERWAY FROM PIER UNIFORM FOR ISEAN/DEPENDENTS CRUISE. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM TO CHANNEL LEAVING CHARLESTON HARBOR. 0930 SECURE SEA DETAIL. COMMENCE STREAMING GEAR. 1100 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL. 1111 COMMENCED RECOVERY OF GEAR. 1142 GEAR ON DECK.

J.A. King
Lt/jg USNR

1200-1600 STEAMING AS BEFORE. 1305 SET SEA DETAIL. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM TO CHANNEL. 1435 MOORED OUTBOARD USS RIVAL (MSO-468) AT PIER UNIFORM BERTH THREE. 1515 SECURED SEA DETAIL. SET INPORT WATCH.

J.A. King
Lt/jg USNR

1600-2400 MOORED AS BEFORE.

J.A. King
Lt/jg USNR

2400-2400 MOORED AS BEFORE.

J.A. King
Lt/jg USNR

APPROVED: EXAMINED:

U.S.N. COMMANDING U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE THURSDAY (Day) 20 (Date) AUGUST (Month), 19 64

AT/PASSAGE FROM CHARLESTON, S.C. TO DEGAUSSING RANGE

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	—	0	6	BKN	2990	76	74	7	2500	ST C_1			
02	—	0	3	H	2990	76	74	8	2000	ST C_1			
03	—	0	2	H	2990	75	74	8	1500	ST C_1			
04	—	0	1	F	2991	75	74	OBSCURED					
05	—	0	1/2	F	2991	75	75	OBSCURED					
06	—	0	1/2	F	2992	78	75	OBSCURED					
07	045	2	5	BKN	2994	80	76	6	2500	ST C_1			
08	050	3	8	SCT	2996	86	81	2	4000	C_U			
09	065	3	8	SCT	2997	87	80	3	4000	C_U			
10	070	4	8	SCT	2998	88	81	3	4000	C_U			
11	110	6	8	SCT	2999	89	81	4	4000	C_U C_1			
12	090	6	10	SCT	2999	88	81	4	5000	C_U C_1			
13	095	7	10	SCT	2998	88	80	4	5000	C_U C_1			
14	090	6	10	SCT	2997	90	80	2	5000	C_U			
15	115	6	10	SCT	2996	85	77	2	5000	C_U			
16	120	5	10	SCT	2996	83	75	2	5000	C_U			
17	125	6	10	SCT	2997	80	75	3	4000	C_U			
18	120	7	10	SCT	2998	80	75	2	4000	C_U			
19	135	6	8	SCT	3000	80	75	2	3500	C_U			
20	125	5	8	SCT	2999	79	75	2	3500	C_U			
21	135	4	8	SCT	3000	80	75	3	3500	C_U			
22	140	6	8	SCT	3000	78	74	3	3500	C_U			
23	140	4	8	SCT	3000	77	74	2	3500	C_U			
24	135	4	8	SCT	3000	77	74	2	3500	C_U			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 34.5

FUEL CONSUMED 0000-2400: 890

REMARKS

0000-0400 MOORED IN A NEST OF TWO SHIPS OUTBOARD USS RIVAL (MSO-468), PORT SIDE TO, AT PIER UNIFORM, U.S. NAVAL STATION, CHARLESTON, S.C. JOHN IS H. J. KOSSLER, RADM, USN, COMINLANT. SHIPS PRESENT INCLUDE UNITS OF U.S. ATLANTIC FLEET. SHIP RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

J. H. Kurz
LT(jg) USNR

0400-0800 MOORED AS BEFORE. 0715 MUSTERED THE CREW AT QUARTERS; ABSENTEES: NONE.

J. H. Kurz
LT(jg) USNR

APPROVED:

J. B. Bottle Jr. U.S.N. COMMANDING

EXAMINED:

J. Meenaga U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) THURSDAY (Day) 20 AUGUST (Date) (Month), 19 64

0800-1200 MOORED AS BEFORE. 0901 MADE DAILY INSPECTION OF MAGAZINE. CONDITIONS NORMAL. 0930 SECURED INPORT WATCH AND SET SPECIAL SEA DETAIL. 0959 UNDERWAY FROM PIER UNIFORM, BERTH THREE ENROUTE TO DEGAUSSING RANGE. 1034 SECURED SEA DETAIL. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM WITH DEGAUSSING RANGE.

Stuart W. Seth, Jr.
Ensign, USN

1200-1600 UNDERWAY AS BEFORE. 1515 RELEASED FROM DEGAUSSING RANGE. SET SPECIAL SEA DETAIL. MANEUVING ON VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM TO CHANNEL. 1553 MOORED OUTBOARD PORT SIDE TO USS RIVAL (MSO 468) PIER UNIFORM, BERTH THREE. 1606 SECURED SEA DETAIL. SET INPORT WATCH.

Stuart W. Seth, Jr.
Ensign, USN

1600-2000 MOORED AS BEFORE.

Stuart W. Seth, Jr.
Ensign, USN

2000-2400 MOORED AS BEFORE.

Stuart W. Seth, Jr.
Ensign, USN

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION 45 DATE FRIDAY (Day) 21 (Date) AUGUST (Month), 19 64

~~AT~~/PASSAGE FROM CHARLESTON, S.C. TO DEGAUSSING RANGE

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	145	3	8	CLR	2999	77	74	0	CLEAR				
02	—	0	8	CLR	2998	76	74	0	CLEAR				
03	—	0	8	CLR	2997	74	72	0	CLEAR				
04	—	0	8	CLR	2997	74	71	0	CLEAR				
05	—	0	8	SCT	2996	74	72	3	2500	Cu			
06	—	0	8	SCT	2997	76	73	4	2500	Cu			
07	—	0	8	SCT	2998	79	75	4	2500	Cu			
08	—	0	10	SCT	3000	84	78	5	3000	Cu Ci			
09	095	6	10	SCT	3000	85	79	5	3000	Cu Ci			
10	090	7	10	SCT	3001	85	80	4	3000	Cu Ci			
11	095	8	10	SCT	3001	88	81	4	3000	Cu Ci			
12	090	8	10	SCT	3000	89	82	3	3000	Cu			
13	090	8	10	SCT	2999	90	83	4	3000	Cu			
14	090	7	10	SCT	2998	95	84	4	3000	Cu			
15	090	8	10	SCT	2996	90	83	5	3500	Cu Ci			
16	100	7	10	SCT	2994	85	80	5	3500	Cu Ci			
17	090	5	10	SCT	2994	84	79	4	3500	Cu Ci			
18	115	2	10	SCT	2994	83	79	3	4000	Cu			
19	110	2	10	SCT	2995	82	78	2	4000	Cu			
20	110	2	10	CLR	2995	82	77	0	CLEAR				
21	095	1	10	CLR	2996	80	77	0	CLEAR				
22	090	2	10	CLR	2997	80	77	0	CLEAR				
23	135	2	10	CLR	2998	80	77	0	CLEAR				
24	—	0	10	CLR	2998	81	78	0	CLEAR				

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
33.5

FUEL CONSUMED 0000-2400
84

REMARKS

ØØ-Ø4 MOORED IN A NEST OF TWO SHIPS OUTBOARD PORT SIDE TO USS RIVAL (MSO 468) PIER UNIFORM, BERTH THREE, US NAVAL STATION, CHARLESTON, SOUTH CAROLINA. SOPA IS H.J. KOSSLER, RADM, USN, COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IN CONDITION OF READINESS III WITH MATERIAL CONDITION YOKE SET.

Stuart W. Scott, Jr.
Ensign, USN

Ø4-Ø8 MOORED AS BEFORE. Ø7ØØ MUSTERED CREW AT QUARTERS ABSENTEES: NONE. Ø71Ø SECURED INPORT WATCH, SET SPECIAL SEA DETAIL. Ø735 UNDERWAY FROM PIER UNIFORM ENROUTE TO DEGAUSSING RANGE. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS.

Stuart W. Scott, Jr.
Ensign, USN

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) FRIDAY (Day) 21 (Date) AUGUST (Month), 19 64

0800-1200 STEAMING AS BEFORE. 0811 COMMENCED MANEUVERING VARIOUS COURSES AND SPEEDS TO RUN DEGAUSSING RANGE. 1112 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS NORMAL. MADE WEEKLY TEST OF MAGAZINE SPRINKLING AND FLOODING SYSTEM. CONDITIONS SATISFACTORY.

[signature]
LTJG USN

1200-1600 ~~1600~~ STEAMING AS BEFORE. 1429 COMPLETED DEGAUSSING RUNS. PROCEEDING TO THE PIERS. 1503 MOORED PORT SIDE TO USS RIVAL (MSO-468) AT PIER "U-3". 1515 SECURED SEA DETAIL. SET REGULAR INPORT WATCH.

[signature]
LTJG USN

1600-2400 MOORED AS BEFORE.

[signature]
LTJG USN

2400-2400 MOORED AS BEFORE.

[signature]
LTJG USN

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE SATURDAY 22 AUGUST (Day) (Date) (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~ TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	0	10	CLR	2998	81	78	0	CLEAR				
02	—	0	10	CLR	2997	80	77	0	CLEAR				
03	—	0	10	CLR	2996	80	77	0	CLEAR				
04	—	0	10	CLR	2995	79	76	0	CLEAR				
05	—	0	8	SCT	2995	80	77	4	3500	Cu			
06	—	0	8	SCT	2996	79	76	5	3500	Cu			
07	—	0	8	SCT	2997	79	76	4	3500	Cu Cı			
08	—	0	8	SCT	2999	80	76	5	3500	Cu Cı			
09	—	0	10	SCT	3000	81	78	5	4000	Cu Cı			
10	235	2	10	SCT	3001	82	78	5	4000	Cu Cı			
11	230	6	10	SCT	3002	92	84	5	4000	Cu Cı			
12	220	10	10	SCT	3001	95	85	5	4000	Cu Cı			
13	185	12	10	SCT	3001	95	84	5	4000	Cu Cı			
14	175	13	10	SCT	3000	96	85	4	4000	Cu Cı			
15	145	16	10	SCT	2999	93	85	4	3500	Cu Cı			
16	150	8	10	SCT	2998	88	82	5	3000	Cu Cı			
17	160	5	10	SCT	2998	88	82	5	3000	Cu Cı			
18	160	6	10	SCT	2998	87	81	5	3000	Cu Cı			
19	150	5	10	SCT	2997	85	80	5	3000	Cu Cı			
20	160	5	10	SCT	2999	85	80	5	3000	Cu Cı			
21	175	5	10	SCT	2998	83	79	4	3000	Cu Cı			
22	170	6	10	SCT	2999	80	76	5	3000	Cu Cı			
23	180	6	10	SCT	2999	80	76	4	3000	Cu Cı			
24	180	6	10	SCT	2999	80	76	4	3000	Cu Cı			

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

~~00~~-04 MOORED PORT SIDE TO USS RIVAL (AMSO-468) IN A NEST OF TWO SHIPS AT US NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED. AT PIER "U-3". SOPA: COMLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND ~~DIST~~ DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN ~~THE~~ CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET. BBJ

BBJ
LTJG USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW ON STATION. ABSENTEES NONE.

BBJ
LTJG USNR

APPROVED:

JBJ LT U.S.N. COMMANDING

EXAMINED:

LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SATURDAY (Day) 22 (Date) AUGUST (Month), 19 64

0800-1200. Moored as before. 0809 Set the Special Sea Detail and commenced preparations for heaving out to permit USS RIVAL, (MSO-468) to get underway. 0817 Underway. 0832 Moored port side to Pier "21" 3. 1116 Made daily inspection of magazine; conditions normal.

Stuart W. Scott, Jr.
Ensign, USN

1200-1600 Moored as before. 1610 USS RIVAL (MSO-468) commenced approach to moor to this ship's starboard side. 1700 USS RIVAL, (MSO-468) moored outboard to starboard.

Stuart W. Scott, Jr.
Ensign, USN

1600-2000 Moored as before.

Stuart W. Scott, Jr.
Ensign, USN

2000-2400 Moored as before

Stuart W. Scott, Jr.
Ensign, USN

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE SUNDAY (Day) 23 (Date) AUGUST (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	195	4	10	SCT	2999	79	76	3	4000	Cu Cl			
02	190	3	10	SCT	3000	78	75	4	3500	Cu Cl			
03	180	4	10	SCT	3001	76	73	3	3500	Cu Cl			
04	180	3	8	SCT	3002	75	73	4	2000	St Cl			
05	180	2	8	SCT	3004	75	73	4	2000	St Cl			
06	185	2	8	SCT	3005	76	73	2	3000	Cu Cl			
07	—	0	10	CLR	3006	80	74	0	CLEAR				
08	275	5	10	SCT	3007	88	82	1	20000	Cl			
09	240	5	10	SCT	3007	93	84	2	20000	Cl			
10	235	6	10	SCT	3008	95	85	4	8000	Ac Cl			
11	235	8	10	BKN	3009	97	86	7	4000	Cu Cl			
12	215	8	10	BKN	3009	99	87	8	3500	Sc Cl			
13	220	9	10	BKN	3008	98	87	8	4000	Sc Cl			
14	210	7	10	BKN	3006	95	86	7	3500	Sc Ac			
15	180	7	10	SCT	3005	93	84	5	3500	Sc Ac			
16	180	4	10	SCT	3005	92	82	5	3500	Sc Ac			
17	185	2	10	BKN	3005	90	82	6	3500	Sc Ac			
18	180	3	10	BKN	3004	88	80	7	3500	Sc Ac			
19	190	4	8	BKN	3004	84	78	8	3000	Sc Ac			
20	180	3	8	BKN	3004	82	77	8	3000	Sc Ac			
21	180	2	8	BKN	3005	82	78	6	3000	Sc Ac			
22	195	2	8	BKN	3006	80	77	6	3000	Sc Ac			
23	190	3	8	BKN	3006	79	75	6	3000	Sc Ac			
24	185	4	8	SCT	3008	78	75	4	3000	Sc			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored port side to Pier "U"3 in a nest of two ships with USS RIVAL, (MSO-468) outboard to starboard. SOPA is H.J. Kobler, RAdm, USN, COMINCANT. 3 ships present include units of U.S. Atlantic Fleet. Receiving miscellaneous services from the pier. 3 ship is in condition of readiness IV, with material condition Yoke set.

Stuart W. Scott, Jr.
Ensign, USN

04-08 Moored as before. 0730 Mustered the crew at station; absentees: none.

Stuart W. Scott, Jr.
Ensign, USN

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SUNDAY (Day) 23 (Date) AUGUST (Month), 19 64

0800-1200. Moored as before. 1116 Made daily inspection of magazines; conditions normal.

Stuart W. Smith, Jr.
Ensign, USN

1200-1600 Moored as before.

Stuart W. Smith, Jr.
Ensign, USN

1600-2000. Moored as before.

Stuart W. Smith, Jr.
Ensign, USN

2000-2400 Moored as before.

Stuart W. Smith, Jr.
Ensign, USN

APPROVED: R. B. Pettus Jr. CDR U.S.N. COMMANDING

EXAMINED: [signature] LCDR U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE MONDAY (Day) 24 (Date) AUGUST (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	210	5	8	SCT	3008	78	75	3	3000	Sc			
02	195	5	8	SCT	3008	78	75	2	3000	Sc			
03	190	3	8	SCT	3009	76	73	2	3000	Sc			
04	—	0	8	CLR	3009	78	74	0	CLEAR				
05	—	0	8	CLR	3009	78	74	0	CLEAR				
06	—	0	8	SCT	3010	78	73	2	3500	Sc			
07	—	0	8	SCT	3011	79	74	1	3500	Sc			
08	—	0	10	CLR	3012	84	73	0	CLEAR				
09	—	0	10	CLR	3012	89	79	0	CLEAR				
10	220	2	10	CLR	3013	94	82	0	CLEAR				
11	215	2	10	CLR	3012	103	86	0	CLEAR				
12	215	3	10	CLR	3012	104	87	0	CLEAR				
13	190	3	10	CLR	3011	104	88	0	CLEAR				
14	190	3	10	CLR	3010	105	88	0	CLEAR				
15	175	2	10	SCT	3009	99	84	2	3500	Cu			
16	165	3	10	SCT	3008	94	83	2	3500	Cu			
17	165	3	6	RW	3007	90	82	4	2000	Cb			
18	160	3	10	SCT	3007	85	79	2	3000	Sc			
19	155	6	10	SCT	3006	83	78	2	3000	Sc			
20	170	7	10	SCT	3006	83	78	3	3000	Sc			
21	180	8	10	SCT	3006	82	78	2	3000	Sc			
22	175	4	10	SCT	3006	82	78	3	3000	Sc			
23	180	5	10	SCT	3007	81	78	2	4000	Sc			
24	180	5	10	SCT	3007	81	78	2	4000	Sc			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored port side to Pier "U"3, USNS, Charleston, S.C., with USS RIVAL, (MSO-468) outboard to starboard. SOPA is RAdm H.G. Kopka, USN, COMINLANT. 3ships present include units of U.S. Atlantic Fleet. Receiving miscellaneous services from the pier. Ship is in condition of readiness III, with material condition Yoke set.

Stuart W. Smith, Jr.
Ensign, USN

04-08. Moored as before. 0725. Mustered the crew at Quarters; absentees: none.

Stuart W. Smith, Jr.
Ensign, USN

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) MONDAY (Day) 24 (Date) AUGUST (Month), 19 64

0800-1200 MOORED AS BEFORE. 0925 MADE DAILY INSPECTION OF MAGAZINES ~~AND SMOKELESS POWDER SAMPLES~~: CONDITIONS NORMAL.

J.H. King
LT, USNR

1200-1600 MOORED AS BEFORE.

J.H. King
LT, USNR

1600-2000 MOORED AS BEFORE.

J.H. King
LT, USNR

2000-2400 MOORED AS BEFORE.

J.H. King
LT, USNR

APPROVED: C.B. Bottle Jr U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE TUESDAY (Day) 25 (Date) AUGUST (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	190	2	10	SCT	3007	81	78	2	4000	Sc			
02	190	2	10	SCT	3007	80	77	2	4000	Sc			
03	210	3	10	SCT	3007	80	77	3	4000	Sc			
04	185	2	10	SCT	3006	80	77	3	3500	Sc			
05	180	2	10	SCT	3006	80	77	3	3500	Sc			
06	—	0	7	SCT	3006	80	77	4	3000	Sc			
07	—	0	6	SCT	3007	81	78	4	3000	Cu			
08	235	3	8	SCT	3007	90	83	2	3000	Cu Ci			
09	—	0	8	SCT	3007	89	83	3	3000	Cu Ci			
10	340	5	8	SCT	3006	90	83	3	3000	Cu Ci			
11	340	5	10	BKN	3006	90	83	6	4000	Cu Ci			
12	345	7	10	BKN	3005	92	84	6	4000	Cu Ci			
13	325	10	10	BKN	3003	94	85	8	4000	Cu Ci			
14	320	8	10	BKN	3001	94	84	7	4000	Cu Ci			
15	335	11	10	BKN	2999	95	85	8	4000	Cu Ci			
16	330	8	10	BKN	2998	94	85	8	4000	Cu Ci			
17	325	5	10	BKN	2998	94	84	7	4000	Cu Ci			
18	325	7	10	BKN	2997	89	82	7	4000	Cu Ci			
19	330	10	10	SCT	2996	84	80	5	3500	Cu			
20	330	9	10	SCT	2996	83	79	4	2000	Cu			
21	340	10	10	SCT	2997	83	79	5	3000	Cu			
22	340	10	10	SCT	2997	82	78	5	3000	Cu			
23	345	9	10	SCT	2998	82	78	5	3000	Cu			
24	345	7	10	SCT	2998	80	77	5	3000	Cu			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 0

REMARKS

00-04 MOORED IN A NEST OF TWO SHIPS PORT SIDE TO PIER HANDLING WITH USS RIVAL (MSO-466) OUTBOARD TO STARBOARD AT U.S. NAVAL STATION, CHARLESTON, S.C. SOPA IS H.J. KOSSLER, RADM, USN, COMINLANT. SHIPS REGENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET. SHIP RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS III WITH MATERIAL CONDITION YOKE SET.

J.H. Kling
LT, USNR

04-08 MOORED AS BEFORE. 0715 MUSTERED THE CREW AT QUARTERS; ABSENTEES: NONE.

J.H. Kling
LT, USNR

APPROVED: J.B. Bottley CT U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) TUESDAY 25 AUGUST 19 64
(Day) (Date) (Month)

0800 - 12 MOORED AS BEFORE. 0807 SET SPECIAL SEA DETAIL. PREPARATIONS FOR SHIFTING BERTHS. 0815 CAPTAIN AND NAVIGATOR ON BRIDGE. PILOT ABOARD. 0820 0826 UNDERWAY TO PIER "S-1". 0845 MOORED PORT STARBOARD SIDE TO PIER "S-1". SECURED SEA DETAIL SET REGULAR ~~UNDERWAY~~ INPORT WATCH. 0935 MADE PORT DAILY INSPECTION OF MAGAZINES. CONDITIONS NORMAL.

[signature]
LTJG USNR

12 - 16 MOORED AS BEFORE. 1430 THE COMMANDING OFFICER HELD MAST AND IMPOSED NON-JUDICAL PUNISHMENT AS FOLLOWS: SPENCER, MAURICE B. 684-45-94 SA, USN, PUNISHMENT: EXTRA INSTRUCTION OF 2 HOURS A DAY FOR 7 DAYS AND REDUCTION TO NEXT INFERIOR RATE.

[signature]
LTJG USNR

16 - 20 MOORED AS BEFORE.

[signature]
LTJG USNR

20 - 24 MOORED AS BEFORE.

[signature]
LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 26 (Date) AUGUST (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	000	7	10	SCT	2998	80	77	4	3000	Cu			
02	000	3	10	SCT	2998	80	77	4	3000	Cu			
03	350	2	10	SCT	2997	79	77	5	3000	Cu			
04	000	6	8	SCT	2997	79	76	5	3000	Cu			
05	010	5	8	SCT	2997	79	76	4	3000	Cu			
06	015	5	8	SCT	2996	80	77	5	3000	Cu Ci			
07	025	5	8	BKN	2996	79	76	7	3000	Cu Ci			
08	035	7	8	BKN	2996	79	76	9	2500	Sc Ci			
09	045	8	8	BKN	2995	82	75	9	2500	Sc Ci			
10	045	7	8	BKN	2996	83	76	8	2500	Sc Ci			
11	070	5	8	BKN	2995	86	78	7	2500	Sc Ci			
12	090	6	8	SCT	2995	87	79	5	2500	Sc Ci			
13	140	6	8	SCT	2994	90	82	4	3000	Sc Ci			
14	145	6	8	SCT	2992	88	80	4	3000	Sc Ci			
15	140	8	10	SCT	2990	86	78	5	3000	Cu Ci			
16	135	6	10	SCT	2990	85	78	5	3500	Cu Ci			
17	135	6	10	SCT	2990	84	78	3	4000	Cu Ci			
18	140	6	10	SCT	2989	83	78	3	4000	Cu			
19	140	7	10	SCT	2988	82	78	3	4000	Cu			
20	135	4	10	SCT	2989	80	77	4	4000	Cu			
21	135	4	10	SCT	2989	80	77	4	4000	Cu			
22	—	0	10	SCT	2989	79	76	3	4500	Cu			
23	—	0	10	SCT	2990	78	75	4	4500	Cu Ci			
24	—	0	10	SCT	2991	78	75	4	4500	Cu Ci			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER "S-1" AT US NAVAL BASE, CHARLESTON S.C. WITH STANDARD MOORING LINES DOUBLED. SOPA: COMINLANT. SHIPS PRESENT INCLUDE UNITS OF US ATLANTIC FLEET. SHIP RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

B J Bailey Jr
LTJG USNR

04-08 MOORED AS BEFORE. 0754 MUSTERED CREW AT QUARTERS AND CAPTAIN'S PERSONNEL INSPECTION. ABSENTEES NONE.

B J Bailey Jr
LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) WEDNESDAY 26 AUGUST 19 64
(Day) (Date) (Month)

0800-1200 MOORED AS BEFORE. 0930 MADE DAILY INSPECTION OF MAGAZINE. CONDITIONS NORMAL.

J E Clark Jr
Ensign, USNR.

1200-1600 MOORED AS BEFORE. 1357 UNDERWAY FROM PIER SIERRA BERTH 1, COLD PLANT, WITH YTM 252 ALONGSIDE TO PORT QUARTER. 1414 MOORED PORT SIDE TO PIER UNIFORM BERTH THREE. 1421 SECURED SEA DETAIL, SET INPORT WATCH.

J E Clark Jr
Ensign, USNR.

1600-2000 MOORED AS BEFORE.

J E Clark Jr
Ensign, USNR

2000-2400 MOORED AS BEFORE.

J E Clark Jr
Ensign, USNR

APPROVED: EXAMINED:

[signature] LT U.S.N. COMMANDING [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE THURSDAY 27 AUGUST (Day) (Date) (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	0	10	SCT	2990	77	75	4	4500	Cu Cl			
02	—	0	10	SCT	2990	76	74	3	4500	Cu Cl			
03	—	0	10	SCT	2989	76	74	4	4500	Cu Cl			
04	140	3	10	SCT	2989	77	74	4	4500	Cu Cl			
05	140	2	6	SCT	2990	77	75	3	3000	ST Cl			
06	115	3	6	SCT	2992	77	75	2	2500	ST Cl			
07	110	2	6	SCT	2993	80	77	2	2500	ST Cl			
08	110	7	8	SCT	2995	85	80	2	3000	Sc Cl			
09	115	3	8	SCT	2996	88	80	3	3000	Sc Cl			
10	—	0	8	BKN	2997	90	80	6	3000	Sc Cl			
11	130	6	10	BKN	2998	90	80	7	3000	Sc Cl			
12	135	9	10	SCT	2998	89	79	5	2500	Sc Cl			
13	135	8	10	BKN	2999	87	79	7	2500	Sc Cl			
14	135	8	10	BKN	2998	86	77	8	3000	Sc Cl			
15	140	7	10	OVC	2997	86	76	10	3000	Sc Cl			
16	140	8	10	BKN	2997	86	76	8	3000	Sc Cl			
17	140	10	10	BKN	2996	84	74	9	3000	Sc Cl			
18	145	8	10	BKN	2994	82	73	8	3000	Sc Cl			
19	130	12	10	BKN	2994	82	73	6	3000	Sc			
20	135	14	10	BKN	2993	80	75	6	3500	Sc			
21	135	15	10	BKN	2994	78	74	6	3500	Sc			
22	—	0	8	BKN	2995	78	74	7	3000	Sc			
23	—	0	8	BKN	2996	78	74	8	3000	Sc			
24	145	10	8	BKN	2996	78	74	7	3000	Sc			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000–2400
0

FUEL CONSUMED 0000–2400
0

REMARKS

00-04 MOORED PORT SIDE TO PIER UNIFORM, BERTH THREE WITH USS RIVAL (MSO 468) OUTBOARD TO STARBOARD, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA. SOPA IS H.J. KOSSLER, RADM, USN, COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET. SHIP RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IN CONDITION OF READINESS III WITH MATERIAL CONDITION YOKE SET.

J.B. Clark, Jr.
Ensign, USNR

04-08 MOORED AS BEFORE. 0715 MUSTERED CREW AT QUARTERS. ABSENTEES: NONE.

J.B. Clark, Jr.
Ensign, USNR

APPROVED:

[signature] LT U.S.N. COMMANDING

EXAMINED:

[signature] LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) THURSDAY (Day) 27 (Date) AUGUST (Month), 19 64

0800-1200 MOORED AS BEFORE. 0833 USS RIVAL (MSO-468) UNDERWAY FROM STARBOARD SIDE. 1115 MADE DAILY INSPECTION OF MAGAZINES, ~~AMMUNITIONS~~ NORMAL.

J. H. Kuig
LT(jg) USNR

1200-1600 MOORED AS BEFORE.

J. H. Kuig
LT(jg) USNR

1600-2000 MOORED AS BEFORE.

J. H. Kuig
LT(jg) USNR

2000-2400 MOORED AS BEFORE.

J. H. Kuig
LT(jg) USNR

APPROVED: R. B. Bottley Jr. U.S.N. COMMANDING

EXAMINED: [illegible] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE FRIDAY (Day) 28 (Date) AUGUST (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	0	8	BKN	2997	77	74	8	3000	Sc			
02	320	4	8	BKN	2996	77	75	8	3000	Sc			
03	315	5	8	BKN	2996	77	75	9	3000	Sc			
04	315	5	8	BKN	2995	77	76	8	3000	Sc			
05	330	5	8	BKN	2994	77	76	8	3000	Sc			
06	320	6	7	OVC	2995	76	75	10	2500	St As			
07	300	6	7	OVC	2996	78	76	10	2500	St As			
08	180	7	6	OVC	2996	78	76	10	2000	St As			
09	190	6	4	RW	2998	78	77	10	2000	Ns As			
10	180	6	4	R	2999	78	77	10	2000	Ns As			
11	090	7	4	R	2999	75	75	10	2000	Ns As			
12	095	8	4	R	2998	75	75	10	1500	Ns As			
13	070	10	4	R	2998	75	74	10	1500	Ns As			
14	065	8	4	R	2996	75	75	10	1500	Ns As			
15	060	7	4	R	2994	74	74	10	1500	Ns As			
16	020	8	4	R	2993	73	73	10	1500	Ns As			
17	025	8	3	R	2991	74	73	10	1500	Ns As			
18	015	10	3	R	2990	75	75	10	1500	Ns As			
19	020	14	3	R	2989	75	74	10	1500	Ns As			
20	020	14	2	R	2989	74	74	10	1000	Ns			
21	035	15	2	R	2987	74	74	10	1000	Ns			
22	045	13	2	R	2985	75	74	10	1000	Ns			
23	045	14	2	R	2985	75	74	10	1000	Ns			
24	040	15	2	R	2983	78	77	10	1000	Ns			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 MOORED PORT SIDE TO PIER UNIFORM BERTH THREE, U.S. NAVAL STATION, CHARLESTON, S.C. SOPA IS H.J. KOSSLER, RADM, USN, COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET. SHIP RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

J.H. Kuig
LT, USNR

04-08 MOORED AS BEFORE. 0715 MUSTERED THE CREW AT QUARTERS; ABSENTEES: HOUSEHOLDER, W.J., 925-61-21, SM3, USN.

J.H. Kuig
LT, USNR

APPROVED: J.B. Bottley Jr LT U.S.N. COMMANDING

EXAMINED: [signature] LCDR U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) FRIDAY 28 AUGUST (Day) (Date) (Month), 19 64

0800-1200 MOORED AS BEFORE. 0810 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS NORMAL. MADE WEEKLY TEST OF MAGAZINE SPRINKLING AND FLOODING SYSTEM. CONDITIONS SATISFACTORY.

B D [illegible] Jr
LTJG USNR

1200-1600 MOORED AS BEFORE.

B D [illegible] Jr
LTJG USNR

1600-2000 MOORED AS BEFORE.

B D [illegible] Jr
LTJG USNR

2000-2400 MOORED AS BEFORE.

B D [illegible] Jr
LTJG USNR

APPROVED: [illegible] LT U.S.N. COMMANDING

EXAMINED: [illegible] LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

S-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE SATURDAY 29 AUGUST (Day) (Date) (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	050	22	2	R	2981	79	78	10	1000	NS			
02	095	28	1	R	2980	79	78	OBSCURED					
03	115	35	1	R	2979	76	75	OBSCURED					
04	130	38	1	R	2977	75	75	OBSCURED					
05	135	40	1	R	2978	76	76	OBSCURED					
06	140	29	1	R	2977	76	76	OBSCURED					
07	140	28	3	R	2979	75	74	10	1200	NS			
08	145	30	6	OVC	2981	80	79	10	1500	ST			
09	135	26	6	BKN	2982	81	77	9	1500	ST As			
10	140	24	6	BKN	2983	80	77	8	2000	ST As			
11	140	26	6	BKN	2983	85	79	9	2500	ST As			
12	135	30	6	OVC	2983	83	78	10	2000	Sc As			
13	135	30	6	OVC	2982	82	76	10	2000	Sc As			
14	135	35	5	OVC	2980	82	77	10	2000	Sc As			
15	145	35	4	OVC	2980	81	76	10	2000	Sc As			
16	140	38	5	OVC	2981	80	75	10	2000	Sc As			
17	140	40	6	OVC	2981	80	75	10	2000	Sc As			
18	145	35	6	OVC	2981	80	76	10	2000	Sc As			
19	145	33	4	OVC	2981	80	76	10	2000	Sc As			
20	140	26	5	OVC	2982	80	77	10	2000	Sc As			
21	135	22	4	BKN	2982	80	77	8	2000	Cu As			
22	140	20	6	BKN	2982	80	77	7	2500	Cu As			
23	140	20	6	BKN	2981	80	77	8	3000	Cu Ac			
24	140	18	6	BKN	2981	80	77	8	3000	Cu Ac			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0000-0400 MOORED PORT SIDE TO PIER "U-3" AT U.S. NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED. SOPA: COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

[signature]
LTJG USNR

0400-0800 MOORED AS BEFORE. 0745 MUSTERED CREW ON STATION. ABSENTEES: ~~NONE~~. HOUSEHOLDER, W.V. 925 61 21 6 M G 3 USN

[signature]
LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SATURDAY (Day) 29 (Date) AUGUST (Month), 19 64

0800-1200 MOORED AS BEFORE. 0930 MADE DAILY INSPECTION OF MAGAZINE. CONDITIONS NORMAL

J K Clark Jr
Ensign, USNR

1200-1600 MOORED AS BEFORE.

J K Clark Jr
Ensign, USNR

1600-2000 MOORED AS BEFORE

J K Clark Jr
Ensign, USNR

2000-2400 MOORED AS BEFORE

J K Clark Jr
Ensign, USNR

APPROVED: EXAMINED:

R E Bolles Jr U.S.N. COMMANDING — U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE SUNDAY (Day) 30 (Date) AUGUST (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	130	7	6	BKN	2981	79	76	8	3000	Cu Ac			
02	135	4	6	BKN	2981	79	75	8	3000	Cu Ac			
03	135	4	6	BKN	2982	79	75	8	3000	Cu Ac			
04	150	5	8	BKN	2983	79	75	9	3500	Cu Ci			
05	175	4	8	BKN	2985	79	75	8	4000	Cu Ci			
06	180	4	8	OVC	2986	79	74	10	4000	Cu Ci			
07	190	6	8	OVC	2987	79	74	10	4000	Cu Ci			
08	185	4	8	BKN	2989	80	74	8	4500	Cu Ci			
09	210	7	8	BKN	2990	82	75	9	5000	Cu Ci			
10	190	8	8	BKN	2990	90	78	9	5000	Cu Ci			
11	185	10	8	BKN	2990	90	78	7	4000	Cu Ci			
12	190	12	8	BKN	2989	90	78	6	4000	Cu Ci			
13	190	5	8	SCT	2987	88	78	4	4000	Cu			
14	180	4	8	SCT	2986	87	78	3	4000	Cu			
15	180	5	8	SCT	2985	86	78	3	4000	Cu			
16	195	5	8	SCT	2985	85	78	4	4000	Cu			
17	180	5	8	SCT	2984	84	77	4	4000	Cu			
18	180	4	8	SCT	2984	83	75	5	4000	Cu			
19	175	4	8	BKN	2983	80	75	7	4000	Cu Ci			
20	180	4	8	BKN	2984	80	75	6	3500	Cu Ci			
21	180	5	8	SCT	2985	80	75	5	3500	Cu			
22	190	5	8	SCT	2986	80	76	4	3500	Cu			
23	180	6	8	SCT	2986	80	76	4	3000	Cu			
24	180	6	8	SCT	2986	80	76	4	3000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED PORT SIDE TO PIER UNIFORM, BERTH THREE, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA. SOPA IS H.J. KOSSLER, RADM, USN, COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IN CONDITION OF READINESS III WITH MATERIAL CONDITION YOKE SET.

J.E. Clark Jr
Ensign, USNR

04-08 MOORED AS BEFORE. MUSTERED CREW ON STATION
ABSENTEES: HOUSEHOLDER, W.J., 925 61 21, GMG 3, USN.

J.E. Clark Jr
Ensign, USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SUNDAY (Day) 30 AUGUST (Date) (Month), 1964

0800-1200. Moored as before. 1130. Made daily inspection of magazine; conditions normal.

Stuart W. Seth, Jr.
Ensign, USN

1200-1600. Moored as before.

Stuart W. Seth, Jr.
Ensign, USN

1600-2000. Moored as before.

Stuart W. Seth, Jr.
Ensign, USN

2000-2400. Moored as before.

Stuart W. Seth, Jr.
Ensign, USN

APPROVED: R B Roth Jr U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

S-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE MONDAY (Day) 31 (Date) AUGUST (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	190	6	8	SCT	2985	80	76	4	3000	Cu			
02	185	6	8	SCT	2984	80	77	4	3000	Cu			
03	210	6	8	BKN	2984	80	77	6	3000	Sc As			
04	210	10	6	BKN	2983	79	77	7	3000	Sc As			
05	215	6	3	H	2982	80	77	7	2000	St As			
06	220	8	3	H	2984	80	78	7	2000	St As			
07	225	6	5	OVC	2985	81	78	10	2500	Sc As			
08	215	5	6	OVC	2986	83	79	10	2500	Sc As			
09	215	6	6	BKN	2987	85	80	8	2500	Sc As			
10	210	8	6	BKN	2989	88	81	9	2500	Sc Cl			
11	215	6	6	BKN	2989	92	82	8	2500	Sc Cl			
12	215	8	8	BKN	2990	95	83	8	3000	Sc Cl			
13	225	8	8	BKN	2991	96	84	7	2000	Sc Cl			
14	235	10	8	BKN	2989	98	82	8	2000	Sc Cl			
15	260	10	8	BKN	2987	96	81	8	3000	Sc Cl			
16	265	8	8	BKN	2986	95	81	8	3000	Sc Cl			
17	245	6	8	BKN	2984	93	80	9	3000	Sc Cl			
18	265	4	8	BKN	2983	90	80	7	3000	Sc Cl			
19	260	4	8	BKN	2982	87	79	8	3000	Sc Cl			
20	260	6	8	BKN	2981	85	76	8	3000	Sc Cl			
21	245	5	8	BKN	2981	82	77	8	3000	Sc Cl			
22	260	4	8	BKN	2982	80	76	7	3000	Sc Cl			
23	260	4	8	BKN	2983	78	75	7	3000	Sc Cl			
24	260	5	8	BKN	2983	78	75	8	3000	Sc Cl			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

0

FUEL CONSUMED 0000-2400

0

REMARKS

00-04 Moored port side to Pier "U"3, USNS, Charleston, S.C. SOPA is R.J. Kopsler, RAdm., USN, COMINCANT. Ships present include units of U.S. Atlantic Fleet. Receiving miscellaneous services from the pier. Ship is in condition of readiness IV, with material condition Yoke set.

Stuart W. Smith/E.J.
Ensign, USN

04-08. Moored as before. 0715 Mustered the crew at Quarters; absentees: Household, Walter Y., 925-61-21.

Stuart W. Smith/E.J.
Ensign, USN

APPROVED:

[signature] CT U.S.N. COMMANDING

EXAMINED:

[signature] 20 U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-379) MONDAY 31 AUGUST 19 64
(Day) (Date) (Month)

0800-1200 MOORED AS BEFORE. 1015 MADE DAILY INSPECTION OF MAGAZINES; CONDITIONS NORMAL.

J.A. King
LT, USNR

1200-1600 MOORED AS BEFORE

J.A. King
LT, USNR

1600-2400 MOORED AS BEFORE. 1610 HOUSEHOLDER WG 925 621 GMG3 USN RETURNED ONBOARD HAVING BEEN AWOL SINCE 0715 28 AUGUST 1964.

J.A. King
LT, USNR

2400-2400 MOORED AS BEFORE.

J.A. King
LT, USNR

APPROVED: EXAMINED:

[signature] LCDR U.S.N. COMMANDING [signature] LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) (Date) (Month) , 19 _____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

APPROVED:

_____ U.S.N. COMMANDING

EXAMINED:

_____ U.S.N. NAVIGATOR